

INDEX – TERMS

www.racecarbook.com

Symbols

l, see lambda

23T, *See* author's 23T altered

A

acceleration-13, 39, 40, 55, 70, 74, 110, 119, 120, 122, 123, 124, 125, 158

Adams, Gene (Gene Adams Performance)-6, 14, 60, 85

AFR, *See* air to fuel ratio

air density (AD)-11, 16, 43, 44, 56, 57, 58, 59, 60, 62, 63, 64, 65, 66, 67, 68, 69, 70, 72, 75, 81, 82, 83, 85, 87, 89, 93, 96, 101, 102, 108, 127, 129, 130, 131, 132, 145, 156-159, 161, 162

air density forecast-60, 65, 66

airdensityonline.com (ADOL)-44, 58, 59, 65, 69, 72, 108, 156-157, 161, 162, 166

air pressure-44, 48, 56, 57, 58, 59, 63, 66, 69, 81, 96, 105, 137

air temperature-7, 56, 57, 59, 60, 62, 66, 81, 101, 137

air to fuel ratio (AFR)-7, 10, 14, 15, 16, 18, 20, 24, 31, 37, 38, 43, 44, 46, 54, 56, 59, 62, 66, 67, 68, 69, 70, 71, 72, 73, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93, 95, 98, 102, 103, 108, 113, 115, 118, 124, 125, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 141, 144, 146, 148, 151, 152, 156-159, 161, 163

high speed-82

low speed-82

Anderson, Brad-11

APBA-13

author's Nostalgia Corvette Funnycar-15, 17, 19, 53, 134

author's 23T altered-9, 15-16, 19, 38, 40, 143, 160

author's Roots blown Hemi-9, 23, 40

B

babbit bearing-114

barometer (bar)-63, 66, 67, 69, 72, 108, 156-157

barrel Valve-16, 36, 37, 42, 46, 47, 48, 49, 50, 51, 52, 53, 55, 109, 113, 116, 121

barrel valve, Enderle K style-36, 47, 48, 49, 52, 108

barrel valve, Enderle square-47, 49

bearing-22, 26, 27, 34, 45, 67, 80, 112, 114, 118

Big Block-7, 12, 14, 15, 31, 34, 35, 67, 90, 94, 135, 161, 171

blower-7, 9, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 27, 28, 31, 33, 34, 35, 36, 38, 39, 42, 51, 54, 60, 61, 62, 63, 64, 67, 69, 70, 72, 73, 74, 76, 77, 78, 81, 82, 83, 85, 88, 90, 93, 96, 97, 98, 99, 100, 101, 108, 110, 112, 114, 116, 118, 119, 120, 121, 122, 123, 127, 128, 129, 130, 131, 132, 133, 134, 135, 137, 142, 143, 144, 158

blower opening-20, 21, 74, 119, 121, 123

blower opening, pie shaped-16, 20, 21, 38, 39, 116, 119, 121, 123, 137

blower overdrive (OD)-13, 15, 16, 18, 21, 38, 60, 61, 62, 63, 67, 81, 82, 108, 127, 132, 133, 134, 156-157

blower, screw-11, 23, 61, 78, 81, 158

blower, set back-121

blower sizes-23, 162

blower, SSI-20, 21, 22, 38

boat, *See* raceboat

boost-11, 13, 17, 20, 21, 27, 28, 33, 34, 35, 43, 45, 49, 75, 77, 81, 83, 85, 88, 89, 96, 97, 98, 100, 101, 112, 114, 118, 144

boost gauge, *See* gauge

bore-26, 27, 34, 35

Brock, Ray (Hot Rod Magazine)-14, 161

brake specific fuel consumption (BSFC)-134, 159

Btu's-63, 91, 92, 93, 102, 111, 136, 145, 147, 159, 162

burn-out power-44, 127, 131, 133

C

Cacklefest-64

centrifugal supercharger-33

Champion spark plug-17, 74

Chrisman, Art-13

Cirello magneto-24, 135

clutch-16, 17, 19, 40, 41, 42, 44, 45, 67, 69, 110, 111, 122, 123, 128, 129, 130, 134

compression ratio-7, 13, 14, 27, 29, 30, 31, 33, 73, 75, 77, 78, 88, 89, 90, 127, 129, 135, 136, 139, 144

6 to 1-75, 77, 136, 144

8.2 to 1-7, 27, 75, 127, 129

9 to 1-72, 78, 90

11 to 1-13, 78, 88

12 to 1-7, 15, 16, 27, 30, 31, 75, 77, 78, 89, 129

Corvette-15, 17, 19, 134

CR, *See* compression ratio

cracked crankshaft-43

crankshaft-13, 16, 21, 26, 27, 28, 33, 34, 35, 42, 43, 114, 120, 123, 158

crew-6, 9, 11, 14, 23, 44, 45, 47, 54, 61, 78, 80, 81, 109, 110, 111, 122, 130, 142, 158, 162

Crower clutch-41, 42

Crower fuel injection-16, 36, 37

cubic centimeters (cc's)-76, 77, 152, 156-156, 159

cylinder head, Hemi-34

cylinder head, wedge-14, 31, 82, 90

D

Delih, Scott-6
density altitude-56, 59, 66, 127, 156-159
differential-38, 41, 114, 134
dissociation, chemical-91
dollar (dollars)-11, 15, 22, 90, 109, 110, 139, 140, 141, 142, 143, 157, 162
 low as in low dollar-110
 several thousand-34
Doug's Machine-6
dragster-12, 13, 14, 23, 27, 30, 37, 42, 79, 93, 98, 135, 158
drive shaft couple-80
dynamometer-35, 78

E

Enderle Fuel Injection-36, 37, 53
Enderle fuel pump-134
Enderle, Kent-6, 53
Enderle K valve (barrel valve)-16, 47-53, 108, 134, 158
engine configuration-75
engine level-38, 74, 120, 137
engine size
 194 ci-135
 283 ci-9
 400 ci-64
 427 ci-13
 430 ci-29
 438 ci-7, 15, 16, 27, 33, 75, 129
 450 ci-64
 478 ci-7, 16, 27, 33, 75, 127, 129
 480+ ci-90
enrichment-9, 31, 37, 55, 73, 77, 88, 90, 95, 97, 98, 99, 100, 102, 108, 113, 115, 116, 120, 126, 132, 144, 148, 159
equivalence ratio-89, 144, 158
exhaust valves-28, 29

F

feeler gauge-45, 47, 50, 53, 109
firing order-24, 120, 123, 124
firing order swap-120
flash point, nitro-93
flat head-94
Fitch, T.J (SSI Superchargers)-6
Ford-12, 41
four cylinder-161
friction-33, 34, 60, 61, 101
frictional factor-60, 61, 101
fuel coupe-90
fuel mixture ratio, *See* lambda
fuel pressure-16, 30, 36, 37, 43, 45, 52, 53, 59, 68, 69, 70, 71, 72, 82, 111, 112, 113, 115, 116, 121, 123, 128, 129, 137
fuel pump-14, 16, 21, 36, 37, 43, 47, 49, 52, 53, 69, 82, 93, 113, 128, 134, 135, 136, 137, 139, 141, 156-157
Waterman fuel pump-37
fuel pump relief hole-52-53
fuel shut-off-45, 54, 72, 110, 122, 129, 140
fuel split-33, 43, 70, 82, 101, 118, 119, 120, 128, 137, 158
fuel tank-82, 84, 86, 104, 106, 141
fuel temperature-59, 82, 84, 86, 87, 101, 105, 106, 107, 154, 155
fuel to air ratio-158

G

gallons-69, 82, 104, 140, 141, 148, 150, 151, 157, 162
gapless ring-114
Garlits, Don-36
gasoline-14, 35, 47, 49, 50, 63, 95, 96, 132
gauge-43, 45, 47, 50, 53, 97, 109, 111, 113, 116
 boost-43, 45
gear ratio-40, 41, 124, 134, 136
Gleeson, Roger (Joe Hunt Magneto)-6, 24
grains of water-56, 59, 66
Guasco, Rich-14
Gwaltney, Jason-6

H

Hale, Patrick-159
Harley nitro motorcycle-32, 85
hat nozzle-16, 21, 68, 73, 108, 116, 117, 118, 119, 120, 122, 128, 129, 130, 135, 141, 156-158
head gasket leak-114, 115
Hemi (Chrysler)-9, 12, 13, 16, 21, 127
Hemi, early model-14, 15, 21, 29, 64
Heskett, Van-12, 41

high speed bypass-37, 43, 68, 69, 71, 72, 75, 82, 83, 98, 118, 127, 128, 132, 156-159
Hilborn fuel injection-21, 36, 50, 158
horsepower-7, 11, 14, 16, 20, 21, 33, 34, 35, 37, 41, 42, 60-65, 90, 97, 111, 118, 131, 135, 142, 143, 161
1,000 HP-21, 42
1,200 HP-21, 41
1,500 HP-134
1,600 HP-90
1,900 HP-90, 134
2,000 HP-37, 41, 134, 135
2,100 HP-135
2,165 thru 2,175 HP-62
2,200 HP-41, 42, 62
2,400 & 2,600 HP-41
3,000 HP-78, 135
3,600 thru 3,936 HP-62
4,000 HP-62, 135
5,000 HP-135
8,000 HP-35, 37, 142, 143
horsepower per dollar-11
horsepower correction, weather-60, 61, 62, 63, 65
HP, *See* horsepower
HS, *See* high speed bypass
humidity-7, 44, 56, 58, 59, 60, 62, 63, 66, 67, 69, 72, 81, 89, 96, 102, 106, 108, 137, 156-158, 162
Hutchison, Glen (Hutchison Racing)-6, 25, 27, 47, 49, 50
Hutchison Jackson metering valve-50, 52, 53
Hutchison, Rex (Hutchison Racing Engines)-6, 27
hydrogen-100

I

idle-10, 12, 16, 17, 18, 24, 26, 28, 36, 37, 38, 39, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 68, 72, 73, 74, 108, 109, 110, 112, 113, 115, 116, 117, 118, 119, 120, 121, 122, 123, 127, 129, 130, 131, 137, 140, 141, 142, 158
idle bypass-48, 49, 50, 52, 53
idle bypass hole-49, 50, 52
idle leak down-16, 47, 48, 54, 55, 108, 109, 127, 129
idle poppet pressure-47, 51, 117
idle slot-47, 48, 50, 53, 54, 55
idle speed-43, 44, 47, 48, 49, 109, 116, 119, 121, 130
idle temperature-54
ignition, self-29, 30
IHRA-6, 40, 138
Inconel valves-28
Infineon Raceway-6
infrared heat gun-43, 46, 118, 122

J

Jackson, Don (DJE)-6, 34, 94, 98, 118, 159
Jackson, Pete (Pete Jackson Gear Drives)-6, 50, 98, 141
Jacobson, Loren-14
Jennings, Gordon-13
jet (jetting)-4, 9, 10, 17, 18, 23, 24, 43, 44, 46, 47, 56, 59, 62, 65, 66, 67, 68, 69, 70, 72, 76, 77, 83, 86, 87, 88, 101, 103, 108, 109, 113, 115, 118, 126, 127, 128, 129, 134, 135, 137, 156-158, 162, 170-171
jet size chart-149
Joe Hunt Magneto Co.-24

K

KB (Keith Black)-6, 16, 116, 157
Kinsler Fuel Injection-53, 105, 159
Kinsler, Jim- 6, 105

L

lambda-84, 85, 86, 87, 89, 93, 102, 144, 146, 158-159, 162-163
launch control-42, 43
Lavelle, Rich (SSI Superchargers)-6
leak down, cylinder-45, 46, 48, 109, 113, 114
leak down, idle-16, 46, 47, 48, 53, 54, 55, 108, 109, 117, 127, 129
Lenco transmission-40, 111
long block-26-29
Lunati-27

M

magneto-7, 16, 22, 24, 25, 76, 88, 99, 108, 131, 135, 157
Cirello-16, 24, 135, *See also* Cirello magneto
Mallory-24
MSD-22, 24, 25, 76, 157
magnetos & welders-25
main bypass-16, 36, 37, 52, 68, 70, 71, 72, 82, 83, 85, 108, 118, 127, 135, 156-159
maintenance-11, 15, 22, 29, 41, 86, 112, 114, 139, 142
manifold, blower-38, 70, 101, 116, 117, 118, 121, 123
Manley-27, 28

Marchyshyn, Pam (IHRA)-6
May, Michael (Hutchison Racing Engines)-6
Mazda-145

mechanical energy loss-101
Miller, Earl (Kinsler Fuel Injection)-6
monopropellant-14, 29, 63, 91, 92, 93, 95, 96, 102, 136
Mooneyham, Gene (Mooneyham Blowers)-6, 16, 20, 23, 69
Murphy, Dan (Hutchison Racing Engines)-6
Murry, Brendan (Racecarparts.com)-6, 31, 79, 161

N

NGK spark plug-17, 109
NHRA-14, 40, 63, 78
Nichelson, Dan-90
nozzle & jetting calculator, *See* Pro-Calcs
nozzle(s)-4, 7, 9, 16, 17, 21, 37, 43, 44, 46, 47, 56, 59, 60, 62, 64, 65, 66, 67, 68, 69, 70, 72, 73, 77, 82, 83, 84, 85, 86, 87, 101, 108, 109, 110, 113, 115, 116, 117, 118, 119, 120, 121, 122, 126, 128, 129, 130, 131, 132, 134, 135, 137, 141, 149, 156-158, 162
numerical control-7, 9, 10, 62, 63, 64, 68, 69, 81, 83, 86, 87, 95, 156-157

O

OEM block-12
Olander, Roger (PSI Superchargers)-6, 20

P

Pendergast, Bob (Hot Rod Magazine)-13, 159
performance-9, 10, 11, 13, 14, 15, 16, 17, 18, 40, 41, 46, 49, 60, 62, 63, 74, 76, 77, 80, 89, 90, 111, 112, 115, 122, 125, 129, 130, 131, 132, 133, 136, 143, 155, 161
Pete Jackson metering valve-50, 98, 141
Pichler, Leonard-6
phasing-48, 49, 50, 52, 53
polarity-24, 25, 130, 131, 162
Poling, David-6, 15
Pontiac-13, 159
poppet-16, 37, 43, 47, 51, 52, 53, 69, 71, 72, 83, 113, 116, 117, 118, 119, 121
 high speed-16, 69
poppet, boost hold gauge-43, 113
poppet, fuel pump pressure relief-52-53, 113
poppet, idle-47, 51-53, 113
poppet, high speed-16, 37, 69, 71-72, 83, 113, 118-119
poppet, port nozzle pressure check valve-116, 117, 121
port nozzle-16, 21, 82, 101, 116, 117, 118, 119, 120, 121, 122, 128, 131, 132, 134, 135, 137, 141, 156-158
pressure gauge-43, 45, 111, 113, 116
pressure ratio, air-57, 58
Pro-Calcs-43, 44, 45, 59, 66, 67, 68, 69, 70, 72, 76, 82, 84, 108, 118, 135, 137, 138, 156-157, 161, *Reference* 3
Pro-Mod-90, 138
PSI Superchargers-6, 20, 158, 161

Q

Quarter Pro-18, 41, 132

R

raceboat, race boat-13, 29, 37, 39, 52, 60, 74, 76, 79, 96, 122, 123, 125, 128, 136, 137, 138, 143
ram air-96, 97, 98, 99, 100, 132, 133, 134, 137
references-15, 50, 93, 161
Rehfeld, Jim-6, 48
reversion-20, 21, 38, 101, 118
Rons Fuel Injection-36, 158
rotary engine-81, 137, 145, 163
RPM (RPMs)-12, 13, 15, 16, 17, 18, 26, 27, 28, 33, 35, 36, 40, 41, 42, 43, 46, 52, 68, 69, 71, 72, 75, 76, 78, 83, 99, 101, 109, 110, 111, 112, 116, 122, 126, 127, 128, 129, 130, 131, 132, 133, 134, 143, 156-159
Ruggiero, Tony-6, 32

S

Sacramento Raceway-6, 56
Safranic, Matt-6
Sanger drag hydro-29
SFI-41, 159
SFI 1.4 rating-41
sixty (60) foot time-17, 18, 127
small block-7, 9, 34, 67, 85, 161, 170
Smith, Dave Jr. (Sacramento Raceway)-6
Smith, Dave Sr. (Sacramento Raceway)-6
spark advance-16, 17, 24, 25, 35, 63, 67, 75, 76, 95, 99, 108, 111, 115, 127, 129, 130, 131, 132, 135
spark plug-4, 10, 16, 17, 23, 24, 25, 28, 38, 39, 45, 46, 67, 68, 73, 74, 75, 76, 77, 83, 85, 108, 109, 111, 112, 113, 121, 124, 125, 129, 130, 131, 132, 133, 141, 142, 155, 162
cracked porcelain-67, 129
melted electrode-54, 77, 113, 115, 129, 131
pepper-67, 112, 113, 115, 129, 130
Specht, Kent-14, 85
specific gravity-84, 87, 103-107, 154-155, 160, 161

specific gravity, methanol-84, 105, 162
specific gravity, nitro-87, 104-106, 162
spool, fuel injection-49, 50, 55
stoichiometric-63, 73, 77, 88, 89, 91, 92, 93, 95, 96, 102, 108, 136, 144, 147, 158, 159, 162
Szabo, Beth-6
Szabo, Jennifer-3, 6, 44, 67, 135
Szabo, Letty-4, 6, 160

T

tachometer-43, 44
Tarbell, Gordon-6, 74, 80
teeter-totter turning description-68, 69, 70, 82, 83, 84, 85, 86, 87, 88, 89, 106
temperature-4, 7, 10, 11, 26, 28, 29, 30, 38, 43, 44, 45, 46, 47, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 66, 67, 69, 72, 74, 80, 81, 82, 84, 86, 87, 93, 96, 98, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 112, 113, 118, 120, 122, 126, 129, 135, 137, 141, 150, 151, 152, 154, 155, 156-157, 162
temperature ratio, air-60
tilted fuel injection hat-22, 99
Thompson, Mickey-13
throttle blade opening-53, 109
throttle response-36, 48, 54, 55, 108, 122, 128
timing, ignition-24, 113, 115
tires-19, 38, 40, 41, 42, 45, 53, 62, 110, 126, 133
Top Alcohol-23, 26, 40, 76, 78
Top Fuel, Nostalgia-11, 12, 32, 35, 79, 85, 93, 98, 128
Top Fuel, Professional-11, 34, 50, 61, 93, 100, 109, 139, 143
traction control-40
transmission-16, 40, 41, 46, 111, 123, 134, 142
tune-4, 9, 13, 14, 21, 24, 34, 46, 51, 53, 59, 66, 67, 74, 76, 77, 80, 81, 84, 86, 87, 90, 95, 96, 100, 101, 102, 103, 104, 117, 125, 128, 130, 155
turbocharged engine-81, 83, 100
turnbuckle-46, 48, 50, 51, 109

V

valves, stainless steel-28
valves, titanium-28
vol eff, *See* volumetric efficiency
volume-9, 11, 21, 29, 30, 33, 34, 49, 50, 51, 52, 55, 76, 81, 82, 84, 90, 96, 98, 102, 103, 104, 106, 107, 115, 117, 119, 128, 132, 135, 139, 141, 142, 145, 148, 150-152, 156-159, 163
volumetric efficiency-69, 81, 145, 156-157

W

water vapor density-79
Webster, Randy-7
wedge, Chrysler-14
weight of air-65, 68, 81, 82, 83, 85, 86, 99, 100, 102, 103, 123, 156-158
weight of fuel-65, 68, 86, 102
welding & ignition damage-25
Williams, Jack-13